



॥ श्री गणेशाय नमः ॥

Ravindra Metal
RM
THE REAL QUALITY FOR THE REAL PEOPLE

MSME
सूक्ष्म लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES
UDYAM-MH-19-0038220

RAVINDRA METAL



Driving Project
Through Steel

Branch Shop:

Sy. No.74/10, Yarandahalli 1st Ward, Jigani-Bommsandra Link Road,
Opp. Sansera Engineering Plant-3, Near Biocon Park,
Jigani Post Anekal Taluk, Bangalore-560105
Mob.: 9220085275 / 7425005275

Head Office:124/138, Suryadarshan Bldg., A-Wing, 1st Flr,Office No.101, 2nd
Kumbharwada, Sant Sena Maharaj Marg, Mumbai- 400 004
Mob.: 9220085275 • Telefax : 022-6638 1337

E-mail : ravindrametal75@gmail.com • Website : www.ravindrametal.com

COMPANY PROFILE



We are **Stockiest and Suppliers of Stainless Steel Seamless & Welded (ERW) Pipes, Square Pipe, Plate, Round Bar, Sheet, Coil, Flat, Fastener in 304, 304L, 310, 310S, 321, 347, 316, 316L, 316 Ti, 317L & other qualities.** Which are required by your Industries, in all aspects of Projects Implementation, Maintenance, Modernizations, Expansion and Shut down Application etc.

Ravindra Metal is a company promoted by Highly experienced Technical personnel who are in field of stocking & supplying Industrial raw material for more than 10 years.

Ravindra Metal participates in the timely supply of raw-material to clients. We provide remedies in the critical time of troubleshooting so that the wheels of the customers industry keep moving and do not come to grinding halt.

At **Ravindra Metal** Quality of a product is always maintained, as quality is never an accident; it is outcome of High intention, sincere efforts, Intelligent direction & skillful execution; it represents the wise choice of many alternatives.

We will provide you material at Most Competitive Prices Right Time Right Quality with EXCELLENT SERVICE and most important Market Information and latest trend to facilitate you to take right Purchase decision.

Our company has responded to all & every need of industry as one of Top and the most reputed **Importers/Exporter & Stockiest of Stainless Steel Sheets, Plates, Coils, Strips, Pipes, Tubes, Pipe Fittings, Round Bar, Fasteners & Flange Fittings.**

Our Competitive Prices and full logical support will insure satisfaction to our customers .

Quality Policy



OUR EXCELLENCE...

Quality is our prime concern. We are able to maintain high quality standards through our committed personnel and sound infrastructure. We ensure that finest quality material is used for our products. For ensure the quality of each material, we are providing Materials Test Certificate along with supply. Our team of experts maintain a vigil on the quality of the products. Every single piece is attached with test certificates and reports. We are continually improving our quality to serve our clients better.



OUR FACILITIES...

We have a sound infrastructure. Our spacious warehouse has the capacity to store large quantities of products. We possess a team of experts who are sourcing products of international standard to keep abreast with the global markets. Our quality professionals have served as a beacon not only for us but also for the entire industry in establishing top-notch quality standards.



"Our Philosophy is long-term, since we believe that the key to lasting success is the formatting of long-term RELATIONSHIP with our clients."





Buttweld Fitting

Stainless Steel: ASTM A312 TP 304 / 304L / 304H / 316 / 316L / 316H / 317 / 317L / 321 / 321H / 310 / 347 / 347H / 904L etc.

Carbon Steel: ASTM A234 WPB / A420 WPL3 / A420 WPL6 / MSS-SP-75 WPHY 42 / 46 / 52 / 56 / 60 / 65 / 70

Alloy Steel: ASTM A234 WP1 / WP5 / WP9 / WP11 / WP22 / WP91 / AISI 4130 / AISI 4140

Others: Duplex, Super Duplex, Inconel, Monel Hastelloy, Nickel, Alloy 20, 254 SMO, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types: Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.

Size: 1/4" NB TO 32" NB. (Seamless & Welded)

Wall Thickness: Sch. 5S To Sch. XXS.



Forged Fitting

Stainless Steel : ASTM A312 TP 304 / 304L / 304H / 316 / 316L / 316H / 317 / 317L / 321 / 321H / 310 / 347 / 347H / 904L etc.

Carbon Steel : ASTM A105 / A350 LF2, etc.

Alloy Steel : ASTM A182 F1 / F5 / F9 / F11 / F22 / F91 / AISI 4130 / AISI 4140

Others : Duplex, Super Duplex, Inconel, Monel Hastelloy, Nickel, Alloy 20, 254 SMO, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types: Elbow, Tee, Union, Cross, Coupling, Cap, Bushing , Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbolet, Sockolet, Thredolet, Nipolet, Latrolet, etc.

Size: 1/4" NB TO 4" NB. (Socketweld & Threaded)

Class: 3000#, 6000#, 9000#.

Flanges

Stainless Steel : ASTM A312 TP 304 / 304L / 304H / 316 / 316L / 316H / 317 / 317L / 321 / 321H / 310 / 347 / 347H / 904L etc.

Carbon Steel: ASTM A105 / A350 LF2, etc.

Alloy Steel: ASTM A182 F1 / F5 / F9 / F11 / F22 / F91 / AISI 4130 / AISI 4140

Others: Duplex, Super Duplex, Monel, Nickel, Inconel, Hastelloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types: Weldneck, Slipon, Blind, Socket Weld, Lap Joint, Spectacles, Ring Joint, Oriface, Long Weldneck, Deck Flange, etc.

Size: 1/2" NB TO 24" NB.

Class: 150#, 300#, 400#, 600#, 900#, 1500# & 2500#.





Pipes & Tubes

Stainless Steel : ASTM A312 TP 304 / 304L / 304H / 316 / 316L / 316H / 317 / 317L / 321 / 321H / 310 / 347 / 347H / 904L etc.

Carbon Steel : ASTM A53 GR. B / A106 GR. B / API 5L GR. B / API 5L GR. X42 / 46 / 52 / 56 / 60 / 65 / 70 / A333 GR. 3 / GR. 6 etc.


Alloy Steel : ASTM A335 GR. P1 / P5 / P9 / P11 / P22 / P91 etc.

Others : Duplex, Super Duplex, Inconel, Monel Hastelloy, Nickel, Alloy 20, 254 SMO, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Round, Square, Rectangular.

Size : Upto 24" NB. (Seamless & Welded)

Wall Thickness : Sch. 5S to Sch. XXS



Sheet, Plate, Coils & Bars

Stainless Steel : ASTM A312 TP 304 / 304L / 304H / 316 / 316L / 316H / 317 / 317L / 321 / 321H / 310 / 347 / 347H / 904L etc.

Carbon Steel : ASTM A53 GR. B / A106 GR. B / API 5L GR. B / API 5L GR. X42 / 46 / 52 / 56 / 60 / 65 / 70 / A333 GR. 3 / GR. 6 etc.

Alloy Steel : ASTM A335 GR. P1 / P5 / P9 / P11 / P22 / P91 etc.

Others : Duplex, Super Duplex, Inconel, Monel Hastelloy, Nickel, Alloy 20, 254 SMO, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Round, Square, Rectangular.

Size : Upto 24" NB. (Seamless & Welded)

Wall Thickness : Sch. 5S to Sch. XXS

ROD, BARS & WIRES

Stainless Steel : ASTM A 479 Gr 304 / 304L / 304H / 316 / 316L / 316Ti / 317 / 317L / 321 / 309 / 310 / 347 / 409 / 410 / 416 / 420 / 430 / 431 / 904L / En57, etc.

High Nickel Alloy : Nickel, Monel, Inconel, Hastelloy, Alloy20, Incoloy, Duplex & Super Duplex, Titanium, 5M06-254, Carbon Steel, Alloy Steel, Copper, Brass, Cupro Nickel, Aluminium, Zinc, Lead, 17.4PH, 440C etc.

Types : Round, Square, Bars, Wires, Filler Wire, Hex, Welding Electrodes, etc.





Fasteners

Stainless Steel: AISI 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 410, 420, 904L etc.

Alloy Steel: 4.6, 5.6, 6.6, 8.8, 10.9 & 12.9 / 'R', 'S', 'T' Conditions.

Carbon Steel: Bare Condition, Galvanized, Phosphetised, Cadmium Plated, Hot Deep Galvanized, Bloodied, Nickel Chrome Plated, etc.

Non Ferrous Metal: Copper, Brass, Aluminium, Titanium, Nichrome, Al. Bronze Phosphorous Bronze, etc.

Types: Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Head Screw,, Fine Fasteners & Spares, Foundation, Fasteners, etc.



VALVES

Stainless Steel : AISI 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 904L etc.

Carbon Steel : A105, A216, Gr. WCB, Cadmium Plated, Nickel, chrome Plated etc.

Non-Ferrous Metal : Copper, Brass, Titanium, Phosphorous Bronze etc.

Type : Ball Valve, Gate Valve, Check Valve, Needle, Valve, Mini Valve, Gauge Rott Valve, Globe Valve, Manifolds (2 Way, 3 Way, 5 Way)

Copper, Brass, Aluminium, Coils, Sheets, Plates, Flats, Pipes, Rods

Copper : DHP Copper, ETP Copper, DPA Copper, OFHC Copper Tubes, 2mm OD to 200mm OD with wall thickness of 0.10mm to 15mm.

Brass : 63/37 Brass, 70/30, Brass, Admitalty Brass, Aluminium & Other Composition of Brass.

Cupronickel : 95/5 Alloy & 70/30 Alloy

Bronze : Phoperous Bronze A B1/B2, Aluminium Bronze & Gun Metal

IS Grade : Aluminium

19501, 19500, 19600, 19800, 19000, 24345, 24354, 31000, 43000, 46000, 51000, 52000, 53000, 54300, 55000, 65032, 63400, 644300, 62400, 63401, 74530 etc. Available in all size & Thickness.





FLATS, ANGLE & CHANNEL

Stainless Steel: SA 240 TP 202/ 304/ 304L/ 316/ 316L/ 321/ 309/ 310/ 347/ 409/ 410/ 430/ 904L, etc.

Others: Nickel, Monel, Inconel, Hastelloy, Alloy20, Incoloy, Duplex & Super Duplex, 5M06-254, Carbon Steel, Alloy Steel, Copper, Brass, Cupro Nickel, Aluminium, Titanium, etc.,

Types : Available in All Sizes & Thickness



PERFORATED SHEET & WIREMESH


Stainless Steel : AISI 202, 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 904L etc.

Material : Mild steel, Stainless steel, Aluminum, CRC, Teflon, Brass, Copper, Synthetic Materials and HDPE

Type : Holes - Round, square and capsule

Hole pattern : Triangular and staggered

ALL TYPES OF INDUSTRIAL HARDWARE ITEMS SUPPLIERS





DAIRY FITTINGS

SOME OF THE UNIQUE VALUE OF **RAVINDRA METAL** COMPLETE MANUFACTURING FOR DAIRY FITTINGS PRODUCTS.

Stainless Steel Dairy Fittings Specification

Size : 1/4" to 6"

Thickness : 1.0 mm to 5 mm, 12 SWG, 14SWG, 16 SWG, 18SWG, 20 SWG

Standards : DIN / TRICLOVER / IDF / SMS / BSP / NPT

Grade : SS 201, SS 202, SS 304, SS 304L, SS 316, SS 316L, SS 310S, SS 321, SS 904L

Range : Dairy Bends, Dairy Tee, Dairy Reducer, TC Clamps, Pipe Holder Clamp, SMS Union, DIN Union, TC Ferrule. Hose Clamps, Tri Clamp Tee, Tri Clamp Elbow, Tri Clamp Reducer, Triclover, Joint, SS Spray Balls Our Dairy Fittings conforms to NACE MR0175/ISO 15156

Types Of Available Products Stainless Steel Dairy Fittings

- Stainless Steel 304 Dairy Fittings
- Stainless Steel Dairy Bends Suppliers
- SS 310S Dairy Triclover Manufacturer
- 316L Stainless Steel Dairy Bends Distributors
- Stainless Steel 317L Dairy Reducers Exporter
- 321 SS Dairy Tee Stockiest in India
- 347 Stainless Steel Dairy Cross Dealers
- Stainless Steel 347H Spray Balls Stockholder
- Stainless Steel Tri Clamp Reducer Suppliers 904L
- Stainless Steel Tri Clamp Tee Suppliers



S.S. & BRASS INSTRUMENTAL FERRULE FITTINGS



Union Elbow



Male Elbow



Female Elbow



Union Tee



Male Run Tee



Male Branch Tee



Female Run Tee



Female Branch Tee



Union Cross



45 Deg. Elbow



Tube end Closure



Bulk Head Elbow



Positionable Male Elbow



Butt Weld Pipe Elbow



Union




Reducing Union



Bulkhead Union




Male Connector



Female Connector



Male Adaptor



Female Adaptor



STAINLESS STEEL PIPE DIMENSION AS PER ASTM & WEIGHT-KG. PER MTR. (ANSI B36.19)


Nominal Bore		Outside Diameter	Sch-5S		Sch-10S		Sch-40S		Sch-80S		Sch-160S		Sch-XXS	
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)
3	1/8	10.3	1.24	0.276	1.24	0.28	1.73	0.37	2.41	0.47	-	-	-	-
6	1/4	13.7	1.24	0.390	1.65	0.49	2.24	0.631	3.02	0.80	-	-	-	-
10	3/8	17.1	1.24	0.490	1.65	0.63	2.31	0.845	3.20	1.10	-	-	-	-
15	1/2	21.3	1.65	0.800	2.11	1.00	2.77	1.27	3.75	1.62	4.75	1.94	7.47	2.55
20	3/4	26.7	1.65	1.03	2.11	1.28	2.87	1.68	3.91	2.20	5.54	2.89	7.82	3.63
25	1	33.4	1.65	1.30	2.77	2.09	3.38	2.50	4.55	3.24	6.35	4.24	9.09	5.45
32	1 1/4	42.2	1.65	1.65	2.77	2.70	3.56	3.38	4.85	4.47	6.35	5.61	9.70	7.77
40	1 1/2	48.3	1.65	1.91	2.77	3.11	3.68	4.05	5.08	5.41	7.14	7.25	10.16	9.54
50	2	60.3	1.65	2.40	2.77	3.93	3.91	5.44	5.54	7.48	8.74	11.1	11.07	13.44
65	2 1/2	73.0	2.11	3.69	3.05	5.26	5.16	8.63	7.01	11.4	9.53	14.9	14.2	20.39
80	3	88.9	2.11	4.51	3.05	6.45	5.49	11.30	7.62	15.2	11.1	21.3	15.24	27.65
100	4	114.3	2.11	5.84	3.05	8.36	6.02	16.07	8.56	22.3	13.49	33.54	17.12	41.03
125	5	141.3	2.77	9.47	3.40	11.57	6.55	21.8	9.53	31.97	15.88	49.11	19.05	57.43
150	6	168.3	2.77	11.32	3.40	13.84	7.11	28.3	10.97	42.7	18.2	67.56	21.95	79.22
200	8	219.1	2.77	14.79	3.76	19.96	8.18	42.6	12.7	64.6	23.0	111.2	22.23	107.8
250	10	273.1	3.40	22.63	4.19	27.78	9.27	60.5	12.7	96.0	28.6	172.4	25.40	155.15
300	12	323.9	3.96	31.25	4.57	36.00	9.52	73.88	12.7	132.0	33.32	238.76	25.40	186.97
350	14	355.6	3.96	34.36	4.78	41.3	11.13	94.59	19.05	158.08	35.71	281.70	-	-
400	16	406.4	4.19	41.56	4.78	47.29	12.7	123.30	21.41	203.33	40.46	365.11	-	-
450	18	457.2	4.19	46.80	4.78	53.42	14.27	155.80	23.8	254.36	45.71	466.40	-	-
500	20	508.0	4.78	59.25	5.54	68.71	15.09	183.42	26.19	311.2	49.99	564.68	-	-
600	24	609.6	5.54	82.47	6.35	94.45	17.48	255.41	30.96	442.08	59.54	808.22	-	-

WEIGHT & THICKNESS OF S.S GAUGE PIPES

DIMENSION		10 SWG (3.2 MM)	12 SWG (2.6 MM)	14 SWG (2.1 MM)	16 SWG (1.65 MM)	18 SWG (1.2 MM)	19 SWG (1.0 MM)
Size	OD	Weight/MTR	Weight/MTR	Weight/MTR	Weight/MTR	Weight/MTR	Weight/MTR
1/2"	12.7	0.754	0.651	0.552	0.452	0.342	0.290
5/8"	15.875	1.006	0.856	0.718	0.582	0.437	0.369
3/4"	19.05	1.258	1.061	0.883	0.712	0.531	0.448
1"	25.4	1.762	1.470	1.214	0.972	0.720	0.605
1 1/4"	31.75	2.266	1.880	1.544	1.232	0.909	0.763
1 1/2"	38.1	2.770	2.289	1.875	1.492	1.098	0.920
2"	50.8	3.778	3.108	2.537	2.012	1.476	1.235
2 1/2"	63.5	4.786	3.928	3.198	2.531	1.854	1.550
3"	76.2	5.794	4.747	3.860	3.051	2.232	1.865
3 1/2"	88.9	6.802	5.566	4.521	3.571	2.610	2.180
4"	101.6	7.810	6.385	5.183	4.091	2.988	2.495



E-mail : ravindrametal75@gmail.com • Website : www.ravindrametal.com



Dimensions of Class 150 Flanges as per ANSI B 16.5

Nominal Pipe Size (MM) (INCH)	Flange Dia O	Dia of Bolt Circle A	Dia of Bolt Holes D	No. of Holes	Thk. of Flange C	Dia of Hub E	Length through Hub			Dia of Bore		Dia of R/F R	Depth of Socket F	
							S/O & SW Y	W/N Y	L/J Y	S/O & SW B	L/J B			
15	1/2	88.9	60.3	15.9	4	11.1	30.2	15.9	47.6	15.9	22.3	22.9	34.9	9.5
20	3/4	98.4	69.8	15.9	4	12.7	38.1	15.9	52.4	15.9	27.7	28.2	42.9	11.1
25	1	107.9	79.4	15.9	4	14.3	49.2	17.5	55.6	17.5	34.5	35.0	50.8	12.7
32	1 1/4	117.5	88.9	15.9	4	15.9	58.7	20.6	57.1	20.6	43.2	43.7	63.5	14.3
40	1 1/2	127.0	98.4	15.9	4	17.5	65.1	22.2	61.9	22.2	49.5	50.0	73.0	15.9
50	2	152.4	120.6	19.0	4	19.0	77.8	25.4	63.5	25.4	62.0	62.5	92.1	17.5
65	2 1/2	177.8	139.7	19.0	4	22.2	90.5	28.6	69.8	28.6	74.7	75.4	104.8	19.0
80	3	190.5	152.4	19.0	4	23.8	107.9	30.2	69.8	30.2	90.7	91.4	127.0	20.6
100	4	228.6	190.5	19.0	8	23.8	134.9	33.3	76.2	33.3	116.1	116.8	157.2	23.8
125	5	254.0	215.9	22.2	8	23.8	163.5	36.5	88.9	36.5	143.8	144.5	185.7	23.8
150	6	279.4	241.3	22.2	8	25.4	192.1	39.7	88.9	39.7	170.7	171.4	215.9	27.0
200	8	342.9	298.4	22.2	8	28.6	246.1	44.4	101.6	44.4	221.5	222.2	269.9	31.7
250	10	406.4	361.9	25.4	12	30.2	304.8	49.2	101.6	49.2	276.3	277.4	323.8	33.3
300	12	482.6	431.8	25.4	12	31.8	365.1	55.6	114.3	55.6	327.1	328.2	381.0	39.7
350	14	533.4	476.2	28.6	12	34.9	400.0	57.1	127.0	79.4	359.1	360.2	412.7	41.3
400	16	596.9	539.7	28.6	16	36.5	457.2	63.5	127.0	87.3	410.5	411.2	469.9	44.4
450	18	635.0	577.8	31.7	16	39.7	504.8	68.3	139.7	96.8	461.8	462.3	533.4	49.2
500	20	698.5	635.0	31.7	20	42.9	558.8	73.0	144.5	103.2	513.1	514.3	584.2	54.0
600	24	812.8	749.3	34.9	20	47.6	663.6	82.5	152.4	111.1	615.9	615.9	692.1	63.5

Dimensions of Class 300 Flanges as per ANSI B 16.5

Nominal Pipe Size (MM) (INCH)	Flange Dia O	Dia of Bolt Circle A	Dia of Bolt Holes D	No. of Holes	Thk. of Flange C	Dia of Hub E	Length through Hub			Dia of Bore		Dia of R/F R	Depth of Socket F	
							S/O & SW Y	W/N Y	L/J Y	S/O & SW B	L/J B			
15	1/2	95.2	66.7	15.9	4	14.3	38.1	22.2	52.4	22.2	22.3	22.9	34.9	9.5
20	3/4	117.5	82.5	19.0	4	15.9	47.6	25.4	57.1	25.4	27.7	28.2	42.9	11.1
25	1	123.8	88.9	19.0	4	17.5	54.0	27.0	61.9	27.0	34.5	35.0	50.8	12.7
32	1 1/4	133.3	98.4	19.0	4	19.0	63.5	27.0	65.1	27.0	43.2	43.7	63.5	14.3
40	1 1/2	155.6	114.3	22.2	4	20.6	69.8	30.2	68.3	30.2	49.5	50.0	73.0	15.9
50	2	165.1	127.0	19.0	8	22.2	84.1	33.3	69.8	33.3	62.0	62.5	92.1	17.5
65	2 1/2	190.5	149.2	22.2	8	25.4	100.0	38.1	76.2	38.1	74.7	75.4	104.8	19.0
80	3	209.5	168.3	22.2	8	28.6	117.5	42.9	79.4	42.9	90.7	91.4	127.0	20.6
100	4	254.0	200.0	22.2	8	31.8	146.0	47.6	85.7	47.6	116.1	116.8	157.2	23.8
125	5	279.4	234.9	22.2	8	34.9	177.8	50.8	98.4	50.8	143.8	144.5	185.7	-
150	6	317.5	269.9	22.2	12	36.5	206.4	52.4	98.4	52.4	170.7	171.4	215.9	-
200	8	381.0	330.2	25.4	12	41.3	260.3	61.9	111.1	61.9	221.5	222.2	269.9	-
250	10	444.5	387.3	28.6	16	47.6	320.7	66.7	117.5	95.2	276.3	277.4	323.8	-
300	12	520.7	450.8	31.7	16	50.8	374.6	73.0	130.2	101.6	327.1	328.2	381.0	-
350	14	584.2	514.3	31.7	20	54.0	425.4	76.2	142.9	111.1	359.1	360.2	412.7	-
400	16	647.7	571.5	34.9	20	57.2	482.6	82.5	146.0	120.6	410.5	411.2	469.9	-
450	18	711.2	628.5	34.9	24	60.3	533.4	88.9	158.7	130.2	461.8	462.3	533.4	-
500	20	774.7	685.8	34.9	24	63.5	587.4	95.2	161.9	139.7	513.1	514.3	584.2	-
600	24	914.4	812.8	41.3	24	69.8	701.7	106.4	168.3	152.4	615.9	615.9	692.1	-

All Dimensions are in Millimeters Flanges except Lap Joint will be furnished with (1.6) Raised Face, which is included in "Thickness(C)" and "Length through Hub(Y)"



APPLICATION INDUSTRIES

- Oil & Gas Industries
- Steel Plant & Rolling Mills Mfg.
- Automobile & Heavy Mobile Vehicle
- Material Handling Stores
- Agriculture Machinery Equipments
- Refineries
- Analyzer-lab & Testing Equipments
- Paint Industries
- Car Care Systems
- Life Sciences
- Super Market Storage & Rack System
- Automation Machinery
- Multi Parking Systems
- Military
- Power Generations Systems
- Cement Industry Machinery
- Motion & Control Tech. Equipment
- Hydrostatic Drive Systems
- Hydrostatic Press & Power Packs
- Cooling & Heating Systems
- Packaging Equipments
- Engines & Railways
- Pulp Paper Machinery
- Fuel Cells Components
- Machine Tool Application
- Industrial Mining Equipments
- Food & Beverage Equipments
- Marine Project
- Oil Mill Plants
- Aerospace & Aircraft System
- Pollution Control Equipments
- Offshore Engineering
- Plastic / Rubber Processing Machines
- Chemical Machinery

QUALITY ASSURANCE

Every manufacturer phase is carried out with modern technique and is under surveillance of our quality team that ensures all our products meet the national / international standards.

“NO COMPROMISE IN QUALITY” IS OUR MOTTO

Thus, main goal of ours is high quality products. We have adopted quality analyst personnel to ensure complete satisfaction to our clients. As there is always a scope of betterment we are continually improving upon quality of products.

We have a stringent parameters set for the quality which are followed by all our employees. They see to it that the products are in accordance with the national / international standards.

From the time of procurement of raw material till the final delivery of the products, at every stage, our products are checked for various chemical and mechanical properties using the equipment certified by the Government and its agencies.

THIRD PARTY INSPECTION



BRANDS WE DEAL IN :





MSME
सूक्ष्म लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES
UDYAM-MH-19-0038220



RAVINDRA METAL

Stockists & Suppliers of :

Ferrous & Non-Ferrous Metal, Stainless Steel, 304, 304L, 316, 316L, Sheet, Plate, Angle, Channel, Rod, Hex, Patta-Patti, Pipe & Pipe Fittings & All Industrial Raw Materials etc.

Head Office:

124/138, SuryadarshanBldg., A-Wing, 1st Floor, Office No. 101,

2nd Kumbharwada Lane, Sant Sena Maharaj Marg, Mumbai – 400 004.

Mob.: 9220085275 Telefax : 022 6638 1337

Branch Shop :

Sy. No. 74/10, Yarandahalli 1st Ward, Jigani- Bommsandra Link Road,

Opp Sansera Engineering Plant-3, Near Biocon Park,

Jigani Post, Anekal Taluk, Bangalore - 560105

Mob.: 9220085275 / 7425005275

